

Authors	Title	Journal	Year	Volume	Pages
Lazarus	Thyroid Regulation and Dysfunction in the Pregnant Patient		2000		
Barczynski M, Barczynski	[Is surgical treatment of hyperthyroidism in pregnancy reasonable?].	Przegl Lek	2000	57(12)	720-2
Saenz	Iodine-131 elimination from breast milk: a case report.	J Hum Lact	2000	16(1)	44-6
Volumenie JL, Polak M, Guibourdenche J, Oury JF, Vuillard E, Sibony O, Reyal F, Raccah-Tebeka B, Boissinot C, Madec AM, Orgiazzi J, Toubert ME, Leger J, Blot P, Luton Martin-Denavit T, Edery P, Plauchu H, Attia-Sobol J, Raudrant D, Aurand JM, Thomas	Management of fetal thyroid goitres: a report of 11 cases in a single perinatal unit.	Prenat Diagn	2000	20(10)	799-806
Goodarzi MO, Van Herle Nicaise C, Gire C, Bremond V, Minodier P, Soula F, d'Ercole C, Palix Bellini P, Marinetti E, Arreghini A, Andreotti C, Kirm V, Roncaglia Stulberg RA, Davies	Ectodermal abnormalities associated with methimazole intrauterine exposure. Thyrotoxicosis in a male patient associated with excess human chorionic gonadotropin production by germ cell tumor. [Neonatal hyperthyroidism in a premature infant born to a mother with Grave's disease]. [Treatment of maternal hyperthyroidism and fetal goiter]. Maternal thyrotoxicosis and fetal nonimmune hydrops. Simultaneous presentation of ectopic pregnancy and hyperthyroidism. Successful treatment of Graves disease in pregnancy with Lugol's iodine.	Am J Med Genet	2000	94(4)	338-40
Lyall H, Mahmood		Thyroid	2000	10(7)	611-9
Jamieson A, Semple Maragliano G, Zuppa AA, Florio MG, Scapillati ME, Girlando P, Crescimbini B, Cafforio C, Noia G, Cavaliere AF, Tortorolo Hiroi H, Kugu K, Hoshino H, Kozuma S, Taketani	Efficacy of oral iodide therapy on neonatal hyperthyroidism caused by maternal Graves' disease. Hyperemesis gravidarum associated with thyrotoxicosis and a past history of an eating disorder.	Arch Pediatr Adolesc Med	2000	7(5)	505-8
Di Gianantonio E, Schaefer C, Mastroiacovo PP, Cournot MP, Benedicenti F, Reuvers M, Occupati B, Robert E, Bellemín B, Addis A, Arnon J, Borras-Perez MV, Moreno-Perez D, Zuasnabar-Cotro A, Lopez-Siguero	Adverse effects of prenatal methimazole exposure.	Fetal Diagn Ther	2000	15(2)	122-6
	Neonatal hyperthyroidism in infants of mothers previously thyroidectomized due to Graves' disease.	Arch Gynecol Obstet	2001	265(4)	228-30
		Teratology	2001	64(5)	262-6
		J Pediatr Endocrinol Metab	2001	14(8)	1169-72

Sekhar RV, Vassilopoulou-Sellin	Interplay of pregnancy, lactation, and hyperthyroidism leading to severe osteoporosis in a	Endocr Pract	2001	7(4)	262–6
Duncombe GJ, Dickinson	Fetal thyrotoxicosis after maternal thyroidectomy.	Aust N Z J Obstet Gynaecol	2001	41(2)	224–7
Higuchi R, Kumagai T, Kobayashi M, Minami T, Koyama H, Ishii	Short-term hyperthyroidism followed by transient pituitary hypothyroidism in a very low birth weight infant born to a mother with uncontrolled Graves'	Pediatrics	2001	107(4)	E57
Oda M, Ueda F, Izumi Y, Sakaguchi K, Kaido M, Kameyama	[A case of inflammatory myopathy worsened by miscarriage with autoimmune disorder-associated	No To Shinkei	2001	53(4)	369–72
Davison S, Lennard TW, Davison J, Kendall-Taylor P, Perros	Management of a pregnant patient with Graves' disease complicated by thionamide-induced neutropenia in the first trimester.	Clin Endocrinol (Oxf)	2001	54(4)	559–61
Phoojaroenchanachai M, Sriussadaporn S, Peerapatdit T, Vannasaeng S, Nitayanant W, Boonnamnsiri V,	Effect of maternal hyperthyroidism during late pregnancy on the risk of neonatal low birth weight.	Clin Endocrinol (Oxf)	2001	54(3)	365–70
Meister LH, Guerra IR, Carvalho	Images in thyroidology. Vasculitis secondary to treatment with propylthiouracil.	Thyroid	2001	11(2)	199–200
Baskin HJ, Cobin RH, Duick DS, Gharib H, Guttler RB, Kaplan MM, Segal	American Association of Clinical Endocrinologists medical guidelines for clinical practice for the evaluation and treatment of hyperthyroidism and hypothyroidism.	Endocr Pract	2002	8(6)	457–69
Kontoleon P, Ilias I, Koutras DA, Kontogiannis D, Papapetrou	Successful treatment with carbimazole of a hyperthyroid pregnancy with hepatic impairment after propylthiouracil administration: a case report.	Clin Exp Obstet Gynecol	2002	29(4)	304–5
Izhar R, Ghani	Aplasia cutis congenita and antithyroid drugs.	J Pak Med Assoc	2002	52(11)	526–8
Yamashita Y, Yamane K, Fujikawa R, Okubo M, Kohno	A successful pregnancy and delivery case of Graves' disease with myeloperoxidase antineutrophil cytoplasmic antibody induced by	Endocr J	2002	49(5)	555–9
Nakagawa Y, Mori K, Hoshikawa S, Yamamoto M, Ito S, Yoshida	Postpartum recurrence of Graves' hyperthyroidism can be prevented by the continuation of antithyroid drugs during pregnancy.	Clin Endocrinol (Oxf)	2002	57(4)	467–71

Barwell J, Fox GF, Round J, Berg	Choanal atresia: the result of maternal thyrotoxicosis or fetal carbimazole?	Am J Med Genet	2002	111(1)	55–6; discussion 54
Listernick	A newborn with abdominal distention.	Pediatr Ann	2002	31(5)	284–7
Brosvic GM, Taylor JN, Dihoff	Influences of early thyroid hormone manipulations: delays in pup motor and exploratory behavior are evident in adult operant Transient hyperthyroidism in an adolescent with hydatidiform mole.	Physiol Behav	2002	75(5)	697–715
Misra M, Levitsky LL, Lee		J Pediatr	2002	140(3)	362–6
Dahlen	Managing patients with acute thyrotoxicosis.	Crit Care Nurse	2002	22(1)	62–9
Streetman DD, Khanderia	Diagnosis and treatment of Graves disease.	Ann Pharmacother	2003	37(7–8)	1100–9
Azizi	Thyroid function in breast-fed infants is not affected by methimazole-induced maternal hypothyroidism: results of a retrospective	J Endocrinol Invest	2003	26(4)	301–4
Ferraris S, Valenzise M, Lerone M, Divizia MT, Rosaia L, Blaid D, Nemelka O, Ferrero GB, Silengo	Malformations following methimazole exposure in utero: an open issue.	Birth Defects Res A Clin Mol Teratol	2003	67(12)	989–92
Azizi F, Bahrainian M, Khamseh ME, Khoshnati	Intellectual development and thyroid function in children who were breast-fed by thyrotoxic mothers taking methimazole.	J Pediatr Endocrinol Metab	2003	16(9)	1239–43
Markham LA, Stevens	A case report of neonatal thyrotoxicosis due to maternal autoimmune hyperthyroidism.	Adv Neonatal Care	2003	3(6)	272–82; quiz 283–5
Chan	Gestational transient thyrotoxicosis.	Am J Emerg Med	2003	21(6)	506
Matsumoto T, Miyakoshi K, Kasai K, Ishimoto H, Tanaka M, Ikeda K, Yoshimura	Fetal goitrous hypothyroidism followed by neonatal transient hyperthyroidism. A case Serial in utero ultrasonographic measurements of the fetal thyroid: a new complementary tool in the management of maternal hyperthyroidism in	Fetal Diagn Ther	2003	18(6)	459–62
Cohen O, Pinhas-Hamiel O, Sivan E, Dolitski M, Lipitz S, Achiron	Molar pregnancy and hyperthyroidism in a 13 year-old girl.	Prenat Diagn	2003	23(9)	740–2
Panamonta O, Luanratanakorn S, Thampratankul	[Methimazole and choanal atresia].	J Pediatr Endocrinol Metab	2003	16(5)	787–9
Chabrolle JP, Bruel H, El Khoury E, Poinsot J, Amusini P, Benouada A, Marie	Graves' disease in pregnancy: prospective evaluation of a selective invasive treatment protocol.	Arch Pediatr	2003	10(5)	463–4
Nachum Z, Rakover Y, Weiner E, Shalev		Am J Obstet Gynecol	2003	189(1)	159–65

Guignon AM, Mallaret MP, Jouk	Carbamazole-related gastroschisis.	Ann Pharmacother J Coll Physicians Surg Pak	2003	37(6)	829–31
Shahid	Pregnancy with hyperthyroidism.		2003	13(5)	255–9
Seoud M, Nassar A, Usta I, Mansour M, Salti I, Younes	Gastrointestinal malformations in two infants born to women with hyperthyroidism untreated in the first trimester.	Am J Perinatol	2003	20(2)	59–62
Coccia ME, Pasquini L, Compartetto C, Scarselli	Hyperreactio luteinalis in a woman with high-risk factors. A case report.	J Reprod Med	2003	48(2)	127–9
Franklyn	Thyrotoxicosis.	Clin Med (Lond)	2003	3(1)	11–5
Navaneethakrishnan R, Lindow SW, Masson EA, Allan	Recurrent gestational thyrotoxicosis presenting as recurrent hyperemesis gravidarum--report of two cases.	J Obstet Gynaecol	2004	24(7)	774–5
Fussl	[The thyroid impaired only latently. When to treat, when not to?].	MMW Fortschr Med	2004	146(25)	4–6, 8
Karg E, Bereg E, Gaspar L, Katona M, Turi	Aplasia cutis congenita after methimazole exposure in utero.	Pediatr Dermatol	2004	21(4)	491–4
Nakamura S, Isaji M, Ishimori	Thyroid hemiogenesis with postpartum silent thyroiditis.	Intern Med	2004	43(4)	306–9
Tilbrook LK, Slater J, Blainey	Testicular germ cell tumour presenting as thyrotoxicosis.	Ann Clin Biochem	2004	41(Pt 3)	248–9
Iheonunekwu NC, Ibrahim TM, Davies D, Pickering	Thyrotoxic hypokalaemic paralysis in a pregnant Afro-Caribbean woman. A case report and review of the literature.	West Indian Med J	2004	53(1)	47–9
Yanai N, Shveiky	Fetal hydrops, associated with maternal propylthiouracil exposure, reversed by intrauterine Management of a pregnant patient with Graves' disease complicated by propylthiouracil induced Different outcomes of	Ultrasound Obstet Gynecol	2004	23(2)	198–201
Cho YY, Shon HS, Yoon	neonatal thyroid function after Graves' disease in pregnancy: patient reports and literature review.	Korean J Intern Med	2005	20(4)	335–8
Kamishlian A, Matthews N, Gupta A, Filipov P, Maclare N, Anhalt H, Ten	[Effects of maternal hyperthyroidism and antithyroid drug therapy on thyroid function of newborn infants].	J Pediatr Endocrinol Metab	2005	18(12)	1357–63
Lian XL, Bai Y, Xun YH, Dai WX, Guo	Zhongguo Yi Xue Ke Xue Yuan Xue Bao	2005	27(6)	756–60	

Kubota S, Ohye H, Sasaki I, Nishihara E, Kudo T, Fukata S, Amino N, Kuma K, Mitsuda N, Miyauchi	Successful use of iodine and levothyroxine to treat Graves' disease in a pregnant patient with allergy to antithyroid drugs and high thyrotropin-binding inhibitor immunoglobulin after radioiodine therapy.	Thyroid	2005	15(12)	1373–6
Makowska B, Preis K, Swiatkowska-Freund M, Leszczynska	[Assessment of thyroid function in women treated for vomiting in early Antineutrophil cytoplasmic antibody (ANCA)-associated autoimmune diseases induced by antithyroid drugs: comparison with idiopathic ANCA vasculitides.	Ginekol Pol	2005	76(8)	619–24
Bonaci-Nikolic B, Nikolic MM, Andrejevic S, Zoric S, Bukilica	Hyperthyroidism due to secretion of human chorionic gonadotropin in a patient with metastatic	Arthritis Res Ther	2005	7(5)	R1072–81
Meister LH, Hauck PR, Graf H, Carvalho	Heart failure in a neonate.	Arq Bras Endocrinol Metabol	2005	49(2)	319–22
Lesser	Luton D, Le Gac I, Vuillard E, Castanet M, Guibourdenche J, Noel M, Toubert ME, Leger J, Boissinot C, Schlageter MH, Garel C, Tebeka B, Oury JF, Czernichow P,	Clin Pediatr (Phila)	2005	44(7)	637
Yang MJ, Cheng	Management of Graves' disease during pregnancy: the key role of fetal thyroid gland monitoring.	J Clin Endocrinol Metab	2005	90(11)	6093–8
Lembet A, Eroglu D, Kinik ST, Gurakan B, Kuscu	Pregnancy complicated with pulmonary edema due to hyperthyroidism.	J Chin Med Assoc	2005	68(7)	336–8
Harborne LR, Alexander CE, Thomson AJ, O'Reilly DS, Greer	Non-invasive management of fetal goiter during maternal treatment of hyperthyroidism in Grave's disease.	Fetal Diagn Ther	2005	20(4)	254–7
Higuchi R, Miyawaki M, Kumagai T, Okutani T, Shima Y, Yoshiyama M, Ban H, Yoshikawa	Outcomes of pregnancy complicated by thyroid disease.	Aust N Z J Obstet Gynaecol	2005	45(3)	239–42
Weng MT, Wei SC, Wong JM, Chang	Central hypothyroidism in infants who were born to mothers with thyrotoxicosis before 32 weeks' gestation: 3 cases.	Pediatrics	2005	115(5)	e623–5
Nath CA, Oyelese Y, Yeo L, Chavez M, Kontopoulos EV, Giannina G, Smulian JC, Vintzileos	Hyperemesis gravidarum presenting as jaundice and transient hyperthyroidism complicated with acute pancreatitis.	J Formos Med Assoc	2005	104(3)	194–7
Lok CA, Zurcher AF, van der Velden	Three-dimensional sonography in the evaluation and management of fetal goiter.	Ultrasound Obstet Gynecol	2005	25(3)	312–4
	A case of a hydatidiform mole in a 56-year-old	Int J Gynecol Cancer	2005	15(1)	163–6

Oden J, Cheifetz	Neonatal thyrotoxicosis and persistent pulmonary hypertension necessitating extracorporeal life support. One case of fetal and neonatal variable thyroid dysfunction in the context of Graves' disease.	Pediatrics	2005	115(1)	e105–8
Brand F, Liegeois P, Langer	Carbamazole embryopathy: an emerging phenotype. [Current status and the goal of surgical treatment for Graves' disease].	Fetal Diagn Ther	2005	20(1)	12–5
Foulds N, Walpole I, Elmslie F, Mansour	[Radioiodine treatment of Graves' disease --for its wider indication and application in Japan]. Diffuse alveolar hemorrhage associated with antineutrophil cytoplasmic antibody levels in a pregnant woman taking carbamazole.	Am J Med Genet A	2005	132A(2)	130–5
Miya A, Miyauchi	Nihon Rinsho	2006	64(12)	2263–8	
Konishi	[Antenatal carbamazole and choanal atresia: a new embryopathy]. [Current thyroid diagnostics and therapy in disorders of fertility and in pregnancy]. Acquired neonatal thyroid disease due to TSH receptor antibodies in breast milk. Pharmacokinetics and pharmacotherapy of thionamides in pregnancy. Severe hyperthyroidism requiring therapeutic plasmapheresis in a patient with hydatidiform mole. Development of Graves' hyperthyroidism during the early phase of pregnancy in a patient with pre-existing and long-standing Hashimoto's hypothyroidism. [Possible teratogenic effects of thiamazole]. Propylthiouracil versus methimazole in treatment of Graves' disease during pregnancy. [Choanal atresia associated with the use of tapazole during pregnancy]. Successful intrauterine therapy for fetal goitrous hypothyroidism during late gestation.	Nihon Rinsho	2006	64(12)	2257–61
Kang AY, Baek YH, Sohn YJ, Lee SK, Son CH, Kim K, Yang	Korean J Intern Med	2006	21(4)	240–3	
Wolf D, Foulds N, Daya	Arch Otolaryngol Head Neck Surg	2006	132(9)	1009–11	
Fink HJ, Hintze	Med Klin (Munich)	2006	101(8)	645–52; quiz 653–4	
Tornhage CJ, Grankvist	J Pediatr Endocrinol Metab	2006	19(6)	787–94	
Clark SM, Saade GR, Snodgrass WR, Hankins	Ther Drug Monit	2006	28(4)	477–83	
Erbil Y, Tihan D, Azezli A, Salmaslioglu A, Ozluk Y, Buyukoren A, Ozarmagan	Gynecol Endocrinol	2006	22(7)	402–4	
Gola M, Doga M, Mazziotti G, Bonadonna S, Giustina	J Endocrinol Invest	2006	29(3)	288–90	
Ozgen HM, Reuvers–Lodewijks WE, Hennekam	Ned Tijdschr Geneesk	2006	150(2)	101–4	
Chattaway JM, Klepser	Ann Pharmacother	2007	41(6)	1018–22	
Fagundes TA, Reis JS, Rosario PW, Carvalho PA, Purisch	Arq Bras Endocrinol Metabol	2007	51(9)	1551–2	
Miyata I, Abe–Gotyo N, Tajima A, Yoshikawa H, Teramoto S, Seo M, Kanno K, Sugiura K, Tanaka T,	Endocr J	2007	54(5)	813–7	

Sopena Bert E, Valenti Moreno V, Corcova Pla	[Postpartum thyroiditis with unusual evolution]. [Reflections on mental retardation and congenital hypothyroidism: effects of trace mineral deficiencies]. [Thyroid diseases in sub-Saharan Africa].	An Med Interna	2007	24(6)	305–6
Sidibe el	Congenital goiter in premature twins due to propylthiouracil treatment.	Sante	2007	17(1)	41–50
Sidibe el	Aplasia cutis congenita with skull defect in a monozygotic twin after exposure to methimazole in utero. Leucopenia and atrial fibrillation: rare presentations of thyrotoxicosis in the first trimester.	Sante	2007	17(1)	33–9
Kurtoglu S, Keskin M, Koklu E, Akcakus M, Atabek ME, Hatipoglu	Twin pregnancy with a coexisting hydatidiform mole and liveborn infant: complicated by maternal hyperthyroidism and neonatal hypothyroidism. The diagnostic criteria of Graves' disease and especially the thyrotropin receptor antibody; our own	J Pediatr Endocrinol Metab	2007	20(7)	771
Iwayama H, Hosono H, Yamamoto H, Oshiro M, Ueda	[Transient neonatal thyrotoxicosis: clinical presentation and treatment in 7 cases]. Aplasia cutis congenita following in utero methimazole exposure.	Birth Defects Res A Clin Mol Teratol	2007	79(10)	680–4
Oliver R, Nama VV, Howard RJ, Nikookam	Graves' disease and especially the thyrotropin receptor antibody; our own [Transient neonatal thyrotoxicosis: clinical presentation and treatment in 7 cases]. Aplasia cutis congenita following in utero methimazole exposure.	J Obstet Gynaecol	2007	27(5)	521–3
True DK, Thomsett M, Liley H, Chitturi S, Cincotta R, Morton A, Cotterill	Neonatal hyperthyroidism: neonatal clinical course of two brothers born to a mother with Graves–Basedow disease, before and after total thyroidectomy.	J Paediatr Child Health	2007	43(9)	646–8
Paunkovic N, Paunkovic	Total intravenous anesthesia for evacuation of a hydatidiform mole and termination of pregnancy in a patient with thyrotoxicosis.	Hell J Nucl Med	2007	10(2)	89–94
Vautier V, Moulin P, Guerin B, Barat	An unusual cause of neonatal coagulopathy and liver disease.	Arch Pediatr	2007	14(11)	1310–4
Baid SK, Merke	Propylthiouracil-related diffuse alveolar hemorrhage with negative serologies and without capillaritis.	J Pediatr Endocrinol Metab	2007	20(5)	585–6
Zuppa AA, Sindico P, Savarese I, D'Andrea V, Fracchiolla A, Cota F, Romagnoli	Choanal atresia associated with maternal hyperthyroidism treated with methimazole: a case-control	J Pediatr Endocrinol Metab	2007	20(4)	535–9
Erturk E, Bostan H, Geze S, Saracoglu S, Erciyes N, Eroglu	Propylthiouracil-related diffuse alveolar hemorrhage with negative serologies and without capillaritis.	Int J Obstet Anesth	2007	16(4)	363–6
Dryden C, Simpson JH, Hunter LE, Jackson	Choanal atresia associated with maternal hyperthyroidism treated with methimazole: a case-control	J Perinatol	2007	27(5)	320–2
Hadjiangelis NP, Harkin	Choanal atresia associated with maternal hyperthyroidism treated with methimazole: a case-control	Respir Med	2007	101(4)	865–7
Barbero P, Valdez R, Rodriguez H, Tiscornia C, Mansilla E, Allons A, Coll S, Liascovich	Choanal atresia associated with maternal hyperthyroidism treated with methimazole: a case-control	Am J Med Genet A	2008	146A(18)	2390–5

Brent	Clinical practice. Graves' disease.	N Engl J Med	2008	358(24)	2594–605
Pinheiro AT, Costa RA, Abbade JF, Magalhaes CG, Mazeto	[Hyperthyroidism during pregnancy: maternal–fetal outcomes].	Rev Bras Ginecol Obstet	2008	30(9)	452–8
Perkins DA, Nielsen C, Faulk	A young pregnant woman with shortness of breath.	Cleve Clin J Med	2008	75(11)	788–92
Grigoriu C, Cezar C, Grigoras M, Horhoianu I, Parau C, Virtej P, Lungu A, Horhoianu V, Poiana	Management of hyperthyroidism in pregnancy.	J Med Life	2008	1(4)	390–6
Kannan L, Mishra S, Agarwal R, Kartikeyan V, Gupta N, Kabra	Carbimazole embryopathy–bilateral choanal atresia and patent vitello–intestinal duct: a case report and review of literature.	Birth Defects Res A Clin Mol Teratol	2008	82(9)	649–51
Rotondi M, Cappelli C, Pirali B, Pirola I, Magri F, Fonte R, Castellano M, Rosei EA, Chiovato	The effect of pregnancy on subsequent relapse from Graves' disease after a successful course of antithyroid drug therapy.	J Clin Endocrinol Metab	2008	93(10)	3985–8
Higuchi R, Minami S, Yagi S, Otani T, Kioka N, Hiramatsu C, Sugimoto	Gestational thyrotoxicosis during a triplet pregnancy.	J Obstet Gynaecol	2008	28(4)	444–5
Diaz N R, Silva G	[Acute pulmonary edema as a first manifestation of hyperthyroidism in a pregnant woman. Report of Uterine choriocarcinoma accompanied by an extremely high human chorionic gonadotropin level and thyrotoxicosis.	Rev Med Chil	2008	136(3)	356–8
Hsieh TY, Hsu KF, Kuo PL, Huang	[Graves disease in pregnancy a risk for the child. Maternal TSH receptor antibodies can cause fetal and neonatal thyrotoxicosis].	J Obstet Gynaecol Res	2008	34(2)	274–8
Roos M, Sjoberg O, Axelsson O, Karlsson	Fetal goiter and bilateral ovarian cysts.	Fetal Diagn Ther	2008	23(2)	132–5
Lassen PD, Sundberg K, Juul A, Skibsted	Fetal therapy in fetal thyrotoxicosis: a case report.	Fetal Diagn Ther	2008	23(2)	114–6
Srisupundit K, Sirichotiyakul S, Tongprasert F, Luewan S,	Propylthiouracil induced C–ANCA positive agranulocytosis complicating Graves' thyrotoxicosis in	Ir J Med Sci	2008	177(1)	69–71
Finucane FM, O'Connell J, Kinsley	[Clinical guideline for the diagnosis and treatment of subclinical thyroid dysfunction in pregnancy. Working Group on Subclinical Thyroid Dysfunction of the Spanish Endocrinology	Endocrinol Nutr	2009	56(2)	85–91
Galofre Ferrater JC, Corrales Hernandez JJ, Perez Corral B, Canton Blanco A, Alonso Pedrol N, Perez Perez A, Lajo Morales T, Tortosa Henzi	Pregnancy outcome, thyroid dysfunction and fetal goitre after in utero exposure to propylthiouracil: a controlled cohort study.	Br J Clin Pharmacol	2009	68(4)	609–17

Papendieck P, Chiesa A, Prieto L, Gruneiro-Papendieck	Thyroid disorders of neonates born to mothers with Graves' disease.	J Pediatr Endocrinol Metab	2009	22(6)	547–53
Zuppa AA, Perrone S, Sindico P, Alighieri G, Antichi E, Carducci C, Romagnoli	[Fetal and neonatal outcomes in infants of mothers with TSH receptor antibody positivity in	Pediatr Med Chir	2009	31(2)	72–7
Tajima T, Jo W, Fujikura K, Fukushi M, Fujieda	Elevated free thyroxine levels detected by a neonatal screening system.	Pediatr Res	2009	66(3)	312–6
Zwaveling-Soonawala N, van Trotsenburg P, Vulsma	Central hypothyroidism in an infant born to an adequately treated mother with Graves' disease: an effect of maternally derived thyrotrophin receptor antibodies?	Thyroid	2009	19(6)	661–2
Cooper DS, Rivkees	Putting propylthiouracil in perspective.	J Clin Endocrinol Metab	2009	94(6)	1881–2
Daly MJ, Wilson CM, Dolan SJ, Kennedy A, McCance	Reversible dilated cardiomyopathy associated with post-partum thyrotoxic storm.	QJM	2009	102(3)	217–9
Towers CV, Thomas S, Steiger	The fetal heart monitor tracing in pregnancies complicated by fetal thyrotoxicosis.	Am J Perinatol	2009	26(5)	373–7
Laurberg P, Bournaud C, Karmisholt J, Orgiazzi	Management of Graves' hyperthyroidism in pregnancy: focus on both maternal and foetal thyroid function, and caution against surgical thyroidectomy in	Eur J Endocrinol	2009	160(1)	1–8
Struthmann L, Gunthner-Biller M, Bergauer F, Friese K, Mylonas	Complete hydatidiform mole in a perimenopausal woman with a subsequent severe thyrotoxicosis.	Arch Gynecol Obstet	2009	279(3)	411–3
Earl R, Crowther CA, Middleton	Interventions for preventing and treating hyperthyroidism in pregnancy.	Cochrane Database Syst Rev	2010	(9)	CD008633
Fitzpatrick DL, Russell	Diagnosis and management of thyroid disease in pregnancy.	Obstet Gynecol Clin North Am	2010	37(2)	173–93
Tagami	[Therapeutic guidelines—the current status and problems. 1. Chemotherapy of Basedow's disease].	Nihon Naika Gakkai Zasshi	2010	99(4)	733–40
Vinocur JM, Sivanandam	Fetal goiter mimicking anomalous pulmonary venous connection.	Congenit Heart Dis	2010	5(5)	482–5
Koenig D, Spreux A, Hieronymus S, Chichmanian RM, Bastiani F, Fenichel P, Brucker-Davis	Birth defects observed with maternal carbimazole treatment: Six cases reported to Nice's Pharmacovigilance Center.	Ann Endocrinol (Paris)	2010	71(6)	535–42
Clementi M, Di Gianantonio E, Cassina M, Leoncini E, Botto LD,	Treatment of hyperthyroidism in pregnancy and birth defects.	J Clin Endocrinol Metab	2010	95(11)	E337–41

Murji A, Sobel ML, Feig DS, Sermer	Propylthiouracil-induced agranulocytosis in the third trimester of pregnancy.	Obstet Gynecol	2010	116 Suppl 2	485–7
Koyuncu FM, Tamay AG, Bugday	Intrauterine diagnosis and management of fetal goiter: a case report.	J Clin Ultrasound	2010	38(9)	503–5
Corral E, Reascos M, Preiss Y, Rompel SM, Sepulveda	Treatment of fetal goitrous hypothyroidism: value of direct intramuscular L-thyroxine therapy.	Prenat Diagn	2010	30(9)	899–901
El-Bakry AM, El-Gareib AW, Ahmed	Comparative study of the effects of experimentally induced hypothyroidism and hyperthyroidism in some brain regions in albino rats. [A new possible phenotype of carbimazole embryopathy: A case report].	Int J Dev Neurosci	2010	28(5)	371–89
Mellerio H, Gay CL, Forest MG, Orgiazzi J, Nicolino	[A new possible phenotype of carbimazole embryopathy: A case report].	Arch Pediatr Adolesc Med	2010	17(5)	511–6
Bahn RS, Burch HB, Cooper DS, Garber JR, Greenlee MC, Klein I, Laurberg P, McDougall IR, Montori VM, Rivkees SA, Ross DS, Sosa JA, Stan	Hyperthyroidism and other causes of thyrotoxicosis: management guidelines of the American Thyroid Association and American Association of Clinical Endocrinologists. Highlights of the guidelines on the management of hyperthyroidism and other causes of thyrotoxicosis.	Endocr Pract	2011	17(3)	456–520
Medeiros-Neto G, Romaldini JH, Abalovich	Hyperthyroidism and other causes of thyrotoxicosis: management guidelines of the American Thyroid Association and American Association of Clinical Endocrinologists. Highlights of the guidelines on the management of hyperthyroidism and other causes of thyrotoxicosis.	Thyroid	2011	21(6)	581–4
Bahn Chair RS, Burch HB, Cooper DS, Garber JR, Greenlee MC, Klein I, Laurberg P, McDougall IR, Montori VM, Rivkees SA, Ross DS, Sosa JA, Stan	Hyperthyroidism and other causes of thyrotoxicosis: management guidelines of the American Thyroid Association and American Association of Clinical Endocrinologists. Highlights of the guidelines on the management of hyperthyroidism and other causes of thyrotoxicosis.	Thyroid	2011	21(6)	593–646
Azizi F, Amouzegar	Management of hyperthyroidism during pregnancy and lactation.	Eur J Endocrinol	2011	164(6)	871–6
Karras S, Tzotzas T, Krassas	Toxicological considerations for antithyroid drugs in children. [The treatment of Graves' disease: current views and controversies].	Expert Opin Drug Metab Toxicol	2011	7(4)	399–410
Orgiazzi	Aplasia cutis congenita and other anomalies associated with methimazole exposure during pregnancy.	Presse Med	2011	40(12 Pt 1)	1155–62
Rodriguez-Garcia C, Gonzalez-Hernandez S, Hernandez-Martin A, Perez-Robayna N, Sanchez R, Torrelo	Aplasia cutis congenita due to methimazole exposure within the first trimester of pregnancy: case report.	Pediatr Dermatol	2011	28(6)	743–5
Akar M, Dilli D, Sandal G, Erdeve O, Dilmen	Choanal atresia associated with tracheoesophageal fistula: the spectrum of carbimazole embryopathy.	J Perinat Med	2011	39(6)	743–4
Douchement D, Rakza T, Holder M, Bonne NX, Fayoux		Pediatrics	2011	128(3)	e703–6

Chen CH, Xirasagar S, Lin CC, Wang LH, Kou YR, Lin	Risk of adverse perinatal outcomes with antithyroid treatment during pregnancy: a nationwide population-based study.	BJOG	2011	118(11)	1365–73
Walkington L, Webster J, Hancock BW, Everard J, Coleman	Hyperthyroidism and human chorionic gonadotrophin production in gestational trophoblastic disease.	Br J Cancer	2011	104(11)	1665–9
Kohler S, Tschopp O, Jacky E, Schmid	Paraneoplastic hyperthyroidism.	BMJ Case Rep	2011	2011	
Bliddal S, Rasmussen AK, Sundberg K, Brocks V, Skovbo P, Feldt-Rasmussen	Graves' disease in two pregnancies complicated by fetal goitrous hypothyroidism: successful in utero treatment with Possible association between hyperthyroidism in pregnant women and obstructive congenital abnormalities of urinary tract in their offspring—a population-based case–The safety of methimazole and propylthiouracil in pregnancy: a systematic review.	Thyroid	2011	21(1)	75–81
Banhidy F, Puho EH, Czeizel	J Matern Fetal Neonatal Med	2011	24(2)	305–12	
Hackmon R, Blichowski M, Koren	J Obstet Gynaecol Can	2012	34(11)	1077–1086	
Vila L, Velasco I, Gonzalez S, Morales F, Sanchez E, Lailla JM, Martinez-Astorquiza T, Puig-Vissenberg R, van den Boogaard E, van Wely M, van der Post JA, Fliers E, Bisschop PH, Goddijn	[Detection of thyroid dysfunction in pregnant women: universal screening is justified]. Treatment of thyroid disorders before conception and in early pregnancy: a systematic review.	Med Clin (Barc)	2012	139(11)	509.e1–509.e1
Kitporntheranunt	Treatment of recurrent gestational transient thyrotoxicosis presenting as hyperemesis.	Hum Reprod Update	2012	18(4)	360–73
Spremovic-Radjenovic S, Gudovic A, Lazovic G, Marinkovic J, Radunovic N, Ljubic	J Med Assoc Thai	2012	95 Suppl 12	S125–8	
Boufettal H, Coullin P, Mahdaoui S, Noun M, Hermas S, Samouh Yoshihara A, Noh J, Yamaguchi T, Ohye H, Sato S, Sekiya K, Kosuga Y, Suzuki M, Matsumoto M, Kunii Y, Watanabe N, Mukasa K, Ito K, Ito Sato S, Endo K, Iizaka T, Saiki R, Iwaku K, Sato S, Takahashi Y, Otsuka F, Taniyama	Fetal free thyroxine concentrations in pregnant women with autoimmune thyroid disease. [Partial hydatidiform mole in Morocco: an epidemiological and clinical study]. Treatment of graves' disease with antithyroid drugs in the first trimester of pregnancy and the prevalence of congenital malformation.	J Clin Endocrinol Metab	2012	97(11)	4014–21
	A case of painless thyroiditis in a very early stage of pregnancy.	East Mediterr Health J	2012	18(7)	755–61
		J Clin Endocrinol Metab	2012	97(7)	2396–403
		Intern Med	2012	51(5)	475–7

Almarzouki	Thyroid aplasia in male sibling of heterozygotic twins born to the hyperthyroid mother treated with propylthiouracil during pregnancy (case report).	Endocr Regul	2012	46(1)	27–30
Bowman P, Osborne NJ, Sturley R, Vaidya	Carbimazole embryopathy: implications for the choice of QJM antithyroid drugs in [The impact of thyroid function in women of reproductive age: infertility, pregnancy and the postpartum period].	QJM	2012	105(2)	189–93
Speer	Interventions for hyperthyroidism pre-pregnancy and during pregnancy.	Orv Hetil	2013	154(51)	2017–23
Earl R, Crowther CA, Middleton	Cochrane Database Syst Rev 2013 (11) CD008633				
Barbesino G, Tomer	Clinical review: Clinical utility of TSH receptor antibodies.	J Clin Endocrinol Metab	2013	98(6)	2247–55
Ting YH, Zhou Y, Lao	Carbimazole embryopathy in a Chinese population: case series and literature review. [Treatment of hyperthyroidism due to Graves' disease: what is the recommended antithyroid drug during pregnancy?].	Birth Defects Res A Clin Mol Teratol	2013	97(4)	225–9
Caron	Selenium supplementation and autoimmune thyroid [Neonatal hyperthyroidism: a case report and literature review].	J Gynecol Obstet Biol Reprod (Paris)	2013	42(3)	232–7
Sturniolo G, Mesa	Thyroid "vise" in an infant with neonatal Graves' Antenatal management of recurrent fetal goitrous	Endocrinol Nutr	2013	60(8)	423–6
Li N, Li XH, Yao	hyperthyroidism associated with fetal cardiac failure in a pregnant woman with persistent high levels of thyroid-stimulating hormone receptor antibody after ablative therapy.	Nan Fang Yi Ke Da Xue Xue Bao	2013	33(10)	1557–9
Regelmann MO, Sullivan CK, Rapaport	Thionamide-induced neutropenia and ectyma in a pregnant patient with hyperthyroidism.	Pediatrics	2013	132(4)	e1048–51
Matsumoto T, Miyakoshi K, Saisho Y, Ishii T, Ikenoue S, Kasuga Y, Kadohira I, Sato S, Momotani N, Minegishi K, Yoshimura	Esophageal atresia, small omphalocele and ileal prolapse through a patent omphalomesenteric duct: a methimazole embryopathy? [Corrected].	Endocr J	2013	60(12)	1281–7
Thomas SK, Sheffield JS, Roberts	More than just morning sickness.	Obstet Gynecol	2013	122(2 Pt 2)	490–2
Panait N, Michel F, D'Ercole C, Merrot	QJM	2013	106(12)	1123–5	
Justin C, Annamalai AK, Priscilla G, Muralidharan K, Srinivasan KG, Gurnell					

Hirsch D, Levy S, Nadler V, Kopel V, Shainberg B, Toledano	Pregnancy outcomes in women with severe hypothyroidism. [Autoimmune polyglandular syndrome type 2 in pregnancy: a case report]. New-onset Graves' disease in the postpartum period.	Eur J Endocrinol Przegl Lek J Midwifery Womens BMJ Case Rep	2013 2013 2013 2013	169(3) 70(1) 58(2) 2013	313–20 38–40 211–4 2013
Krysiak R, Okopien	The interplay of Graves' disease and twin molar pregnancy.	Przegl Lek	2013	70(1)	38–40
Goldstein	Effectiveness of preoperative plasmapheresis in a pregnancy complicated by hyperthyroidism and anti-thyroid drug-associated angioedema.	J Midwifery Womens Gynecol Endocrinol	2013	58(2) 29(5)	211–4 508–10
Barrera JR, Sandoval MA, Quiwa LQ, Paz-Pacheco	Maternal thyrotoxicosis and fetal goitre requiring in utero therapy for hypothyroidism and subsequent neonatal therapy for hyperthyroidism.	J Paediatr Child Health	2013	49(1)	E102–3
Bilir BE, Atile NS, Kirkizlar O, Komurcu Y, Akpinar S, Sezer A, Demir M, Hekimoglu	The goiter of a newborn from a mother with Graves disease.	Pediatr Endocrinol Diabetes	2013	19(2)	82–4
Groom K, Snowise S, Wheeler B, Mekhail A, Farrand S, Parry	Prevalence of thyrotoxicosis, antithyroid medication use, and complications among pregnant women in the United States.	Thyroid	2013	23(6)	758–65
Rakus-Kwiatosz A, Dorosz-Hrenczuk B, Ben-Skowronek	The onset of antineutrophil cytoplasmic antibody-associated vasculitis immediately after methimazole was switched to propylthiouracil in a woman with Graves' disease who wished to become pregnant.	Endocr J	2013	60(3)	383–8
Korelitz JJ, McNally DL, Masters MN, Li SX, Xu Y, Rivkees	Impact of thyrotropin receptor antibody levels on fetal development in two successive pregnancies in a woman with Graves' disease.	Horm Res Paediatr	2013	79(1)	39–43
Kimura M, Seki T, Ozawa H, Ishihara T, Komatsu M, Tajiri S, Yanagi H, Nishina M, Noh JY, Fukagawa M, Takagi	Pregnancy with dilated and peripartum cardiomyopathy: maternal and fetal outcome.	Arch Gynecol Obstet	2013	287(2)	195–9
Bjorgaas MR, Farstad H, Christiansen SC, Blaas	American Thyroid Association Guide to investigating thyroid hormone economy and action in rodent and cell models.	Thyroid	2014	24(1)	88–168
Suri V, Aggarwal N, Kalpdev A, Chopra S, Sikka P, Vijayvergia Bianco AC, Anderson G, Forrest D, Galton VA, Gereben B, Kim BW, Kopp PA, Liao XH, Obregon MJ, Peeters RP, Refetoff S, Sharlin DS, Simonides WS, Weiss RE, Williams	Management of neonates born to women with Graves' disease: a cohort study. [Heart failure as early manifestation of neonatal hyperthyroidism. Case	Eur J Endocrinol Rev Chil Pediatr	2014 2014	170(6) 85(2)	855–62 207–12

Andersen SL, Olsen J, Wu CS, Laurberg	Spontaneous abortion, stillbirth and hyperthyroidism: a danish A case of fetal hyperthyroidism treated with maternal administration of methimazole.	Eur Thyroid J	2014	3(3)	164–72
Sato Y, Murata M, Sasahara J, Hayashi S, Ishii K, Mitsuda	Predictive value of maternal second-generation thyroid-binding inhibitory immunoglobulin assay for neonatal autoimmune hyperthyroidism.	J Perinatol	2014	34(12)	945–7
Abeillon-du Payrat J, Chikh K, Bossard N, Bretones P, Gaucherand P, Claris O, Charrie A, Raverot V, Orgiazzi J, Borson-Chazot F, Dahale AB, Chandra PS, Sherine L, Thippeswamy H, Desai G, Reddy	Postpartum psychosis in a woman with Graves' disease: a case report.	Eur J Endocrinol	2014	171(4)	451–60
Gietka-Czernel M, Debska M, Kretowicz P, Zgliczynski W, Oltarzewski	Hyperthyroidism during pregnancy—the role of measuring maternal TSH receptor antibodies and foetal ultrasound monitoring.	Endokrynol Pol	2014	65(4)	259–68
Akmal A, Kung	Propylthiouracil, and methimazole, and carbimazole-related hepatotoxicity.	Expert Opin Drug Saf	2014	13(10)	1397–406
Andersen SL, Olsen J, Wu CS, Laurberg	Severity of birth defects after propylthiouracil exposure in early pregnancy.	Thyroid	2014	24(10)	1533–40
Bisschop PH, van Trotsenburg	Images in clinical medicine. Neonatal thyrotoxicosis. Lower incidence of postpartum thyrotoxicosis in women with Graves disease treated by radioiodine therapy than by subtotal thyroidectomy or with antithyroid drugs.	N Engl J Med	2014	370(13)	1237
Yoshihara A, Noh JY, Watanabe N, Iwaku K, Kobayashi S, Suzuki M, Ohye H, Matsumoto M, Kunii Y, Mukasa K, Ito	Increased size and vascularisation, plus decreased echogenicity, of foetal thyroid in two-dimensional ultrasonography caused by maternal Graves' disease.	Clin Nucl Med	2014	39(4)	326–9
Gietka-Czernel M, Debska M, Kretowicz P, Jastrzebska H, Zgliczynski	Pulmonary hypertension in a pregnant patient with thyrotoxicosis due to Graves' disease: considerations with respect Severe fetal and neonatal hyperthyroidism years after surgical treatment of maternal Graves' disease.	Endokrynol Pol	2014	65(1)	64–8
Mathot V, Oosterwerff E, van Pampus MG, Riezebos	Management of Graves Disease: A Review.	BMJ Case Rep	2014	2014	
Dierickx I, Decallonne B, Billen J, Vanhole C, Lewi L, De Catte L, Verhaeghe	Risk of congenital anomalies associated with antithyroid treatment during pregnancy: a meta-analysis.	J Obstet Gynaecol	2014	34(2)	117–22
Burch HB, Cooper		JAMA	2015	314(23)	2544–54
Li X, Liu GY, Ma JL, Zhou		Clinics (Sao Paulo)	2015	70(6)	453–9

von Welser SF, Grube M, Ortmann	Invasive mole in a perimenopausal woman: a case report and systematic review.	Arch Gynecol Obstet	2015	292(6)	1193–9
Li H, Zheng J, Luo J, Zeng R, Feng N, Zhu N, Feng	Congenital anomalies in children exposed to antithyroid drugs in-utero: a meta-analysis of cohort studies.	PLoS One	2015	10(5)	e0126610
Nygaard	Practice Bulletin No. 148: Thyroid disease in Hyperthyroidism in Rethinking antithyroid drugs in pregnancy.	Obstet Gynecol	2015	125(4)	996–1005
Napier C, Pearce	[Aneurysm of the ascending aorta, hyperthyroidism and pregnancy. Case report].	BMJ Clin Evid	2015	2015	
Zavala-Barrios B, Garcia-Castanedo C, Viruez-Soto JA, Briones-Garduno JC, Coronel-Cruz	PREGNANCY, THYROTOXICOSIS AND POLYMYOSITIS.	Clin Endocrinol	2015	82(4)	475–7
Hafeez M, Sarfraz T, Azhar M, Khan RG, Tariq	Pancytopenia in the first trimester: An indicator of hidden hyperthyroidism.	Ginecol Obstet Mex	2015	83(10)	627–34
Imai K, Ohkuchi A, Nagayama S, Saito S, Matsubara S, Suzuki	Substituting Potassium Iodide for Methimazole as the Treatment for Graves' Disease During the First Trimester May Reduce the Incidence of Congenital Anomalies: A Retrospective Study at a Single Medical Institution in Japan.	J Obstet Gynaecol Res	2015	41(12)	1991–4
Yoshihara A, Noh JY, Watanabe N, Mukasa K, Ohye H, Suzuki M, Matsumoto M, Kunii Y, Suzuki N, Kameda T, Iwaku K, Kobayashi S, Sugino K, Ito	Calcium maelstrom: recalcitrant hypocalcaemia following rapid correction of thyrotoxicosis, exacerbated by pregnancy.	Thyroid	2015	25(10)	1155–61
Shin T, Guerrero	Fetal Hyperthyroidism: Intrauterine Treatment with Carbimazole in Two Siblings.	BMJ Case Rep	2015	2015	
Batra CM, Gupta V, Gupta N, Menon	Pregnancy outcome in women treated with methimazole or propylthiouracil during pregnancy.	Indian J Pediatr	2015	82(10)	962–4
Gianetti E, Russo L, Orlandi F, Chiovato L, Giusti M, Benvenga S, Moleti M, Vermiglio F, Macchia PE, Vitale M, Regalbuto C, Centanni M, Martino E, Vitti P,	Neonatal thyrotoxicosis caused by maternal autoimmune hyperthyroidism.	J Endocrinol Invest	2015	38(9)	977–85
Correia MF, Maria AT, Prado S, Limbert	Gestational thyrotoxicosis, antithyroid drug use and neonatal outcomes within an integrated healthcare delivery system.	BMJ Case Rep	2015	2015	
Lo JC, Rivkees SA, Chandra M, Gonzalez JR, Korelitz JJ, Kuzniewicz	[Neonatal hyperthyroidism and maternal Graves disease].	Thyroid	2015	25(6)	698–705
Ben Ameur K, Chioukh FZ, Marmouch H, Ben Hamida H, Bizard M, Monastiri	Arch Pediatr	2015	22(4)	387–9	

Khater C, Ceccaldi PF, Poujade O, Banige M, Ottenwalter A, Luton	Foetal thyroid dysfunction: treat the mother first!	Horm Res Paediatr	2015	83(2)	136–40
Andersen SL, Olsen J, Carle A, Laurberg	Hyperthyroidism incidence fluctuates widely in and around pregnancy and is at variance with some other autoimmune diseases: a Danish population-based study.	J Clin Endocrinol Metab	2015	100(3)	1164–71
King JR, Lachica R, Lee RH, Montoro M, Mestman	Diagnosis and Management of Hyperthyroidism in Pregnancy: A Review.	Obstet Gynecol Surv	2016	71(11)	675–685
De Leo S, Lee SY, Braverman	Hyperthyroidism.	Lancet	2016	388(100 47)	906–918
Hawken C, Sarreau M, Bernardin M, Delcourt AC, Muller A, Lefort G, Pernollet P, Marechaud	Management of Graves' disease during pregnancy in the Poitou-Charentes Region.	Ann Endocrinol (Paris)	2016	77(5)	570–577
Ma G, Mao R, Zhai	Hyperthyroidism secondary to hysterosalpingography: an extremely rare complication: A case report.	Medicine (Baltimore)	2016	95(49)	e5588
Radacic-Aumiler M, Kraljickovic I, Edeljic-Turk V, Makar-Ausperger K, Likic R, Simic	No Adverse Effects After Radioiodine Treatment at 3 Weeks of Pregnancy.	Clin Nucl Med	2016	41(12)	964–965
Horvat O, Tomic Z, Mijatovic V, Sabo	DRUG UTILIZATION IN TREATMENT OF THYROID DISORDERS DURING PREGNANCY IN SERBIA.	Med Pregl	2016	69(1–2)	11–5
Bakas P, Tzouma C, Creatsa M, Boutas I, Hassiakos	Maternal hyperthyroidism after intrauterine insemination due to hypertrophic action of human chorionic	Clin Exp Obstet Gynecol	2016	43(3)	446–7
Guan L, Chen G, Zhang J, Wang	The preliminary clinical observation and analysis of childbearingage women with a history of iodine-131 treatment for Graves'	Biosci Trends	2016	10(4)	307–14
Andersen SL, Olsen J, Laurberg	Maternal thyroid disease in the Danish National Birth Cohort: prevalence and risk factors.	Eur J Endocrinol	2016	174(2)	203–12
Munoz JL, Kessler AA, Felig P, Curtis J, Evans	Sequential Amniotic Fluid Thyroid Hormone Changes Correlate with Goiter Shrinkage following in utero Thyroxine Therapy.	Fetal Diagn Ther	2016	39(3)	222–7
Song R, Lin H, Chen Y, Zhang X, Feng	Effects of methimazole and propylthiouracil exposure during pregnancy on the risk of neonatal congenital malformations: A meta-analysis.	PLoS One	2017	12(7)	e0180108
Andersen	Risk of embryopathies with use of antithyroidal medications.	Curr Opin Endocrinol Diabetes Obes	2017	24(5)	364–371

Kiefer FW, Klebermass- Schrehof K, Steiner M, Worda C, Kasprian G, Diana T, Kahaly GJ, Gessl Alberiche M, Sanchez- Hernandez RM, Lopez Merida X, Wagner	Fetal/Neonatal Thyrotoxicosis in a Newborn From a Hypothyroid Woman With Hashimoto Thyroiditis. Onset of Graves' disease during pregnancy in a woman with established hypothyroidism.	J Clin Endocrinol Metab	2017	102(1)	6–9
Akehi Y, Hashimoto Y, Meren J, Tanabe M, Nomiyama T, Yanase	Postpartum hypothalamic adrenal insufficiency with remission: A rare case.	Gynecol Endocrinol	2017	33(1)	16–18
		Endocr J	2017	64(2)	157– 162