

Bernard, D., et al. (2013). "Radioiodine 131 therapy in hyperthyroidism Evaluation of French nuclear medicine practice." *European Journal of Nuclear Medicine and Molecular Imaging* 40: S233.

Carhill, A., et al. (2011). "Surviving the storm." *Thyroid* 21: A84.

Cassar, M., et al. (2016). "Factors influencing management of Graves' disease." *Irish Journal of Medical Science* 185: S164.

Chakrabarti, B. (2001). "Radio-iodine (NaI131) therapy in hyperthyroidism." *Journal of the Indian Medical Association* 99(11): 642-645.

Chandran, S., et al. (2012). "Comparison of fixed low dose versus high dose radioactive iodine (RAI) for the treatment of hyperthyroidism: Retrospective multifactorial analysis impacting the outcome of therapy." *European Journal of Nuclear Medicine and Molecular Imaging* 39: S340.

Claret-Torrents, C., et al. (2009). "Hyperthyroidism in Down síndrome." *SD Revista Medica Internacional sobre el Síndrome de Down* 13(1): 2-8.

De Luca, F., et al. (2016). "Management of hyperthyroidism in children." *Expert Review of Endocrinology and Metabolism* 11(4): 301-309.

Lee, L. K. and D. Q. Pham (2009). *Pharmacotherapy of thyroid disorders in health systems*. 75: 88-90.

Minamitani, K., et al. (2017). "Guidelines for the treatment of childhood-onset graves' disease in Japan, 2016." *Clinical Pediatric Endocrinology* 26(2): 29-62.

Mohanty, B. B., et al. (2012). "Goitre: A complete review." *International Journal of Pharma and Bio Sciences* 3(3): B33-B48.

Portmann, L. (2001). "Therapeutical approach to hyperthyroidism." *Medecine et Hygiene* 59(2334): 350-356.

Rokni, H., et al. (2014). "Efficacy of different protocols of radioiodine therapy for treatment of toxic nodular goiter: Systematic review and meta-analysis of the literature." *International Journal of Endocrinology and Metabolism* 12(2).

Ross, D. S., et al. (2016). "2016 American Thyroid Association Guidelines for Diagnosis and Management of Hyperthyroidism and Other Causes of Thyrotoxicosis." *Thyroid* 26(10): 1343-1421.

Shah, N., et al. (2015). "Graves' disease and thymic hyperplasia." *Endocrine Reviews* 36.

Škrabic, V., et al. (2017). "Thyrotoxicosis in children and adolescents - Diagnostic and therapeutic dilemmas." *Paediatrica Croatica* 61(1): 1-9.

Stuss, M., et al. (2017). "The role of selenium in thyroid gland pathophysiology." *Endokrynologia Polska* 68(4): 440-465.

Sundaresh, V., et al. (2012). "Comparative effectiveness of the therapeutic options for graves' disease: A systematic review and network meta-analysis." *Thyroid* 22: A86-A87.

Suresh Kumar, A. C., et al. (2010). "Comparison of fixed low dose versus high dose radioactive iodine for the treatment of hyperthyroidism: Retrospective multifactorial analysis impacting the outcome of therapy." *Indian Journal of Nuclear Medicine* 25(3): 99-100.

Tamler, R. and J. I. Mechanick (2006). "Dietary supplements and nutraceuticals in the management of endocrine disorders." *Current Opinion in Endocrinology and Diabetes* 13(5): 425-430.

Toft, A. D. (2013). "So we think we know how to treat Graves' disease." *Journal of Endocrinology, Metabolism and Diabetes of South Africa* 18(1): 39.

van Isselt, J. W. and A. J. van Dongen (2004). "The current status of radioiodine therapy for benign thyroid disorders." *Hellenic Journal of Nuclear Medicine* 7(2): 104-110.

Wilson, C. (2011). "Thyroid function: New guidance for the diagnosis and management of thyroid diseases in pregnancy." *Nature Reviews Endocrinology* 7(10): 559.

Wilson, C. (2012). "Endocrine disorders in pregnancy: Updated guidelines for the management of thyroid disorders in pregnancy." *Nature Reviews Endocrinology* 8(11): 624.

Wong, J. and S. M. Wiseman (2015). "Thyroid surgery for treatment of Graves' disease complicated by ophthalmopathy: A comprehensive review." *Expert Review of Endocrinology and Metabolism* 10(3): 327-336.

Wright, H. V. and D. J. Williams (2013). "Thyrotoxicosis in pregnancy." *Fetal and Maternal Medicine Review* 24(2): 108-128.

Wysocki, J., et al. (2010). "Thyrotoxicosis induced cholestasis." *American Journal of Gastroenterology* 105: S268.

Zhadina, M., et al. (2017). "Prognostic indicators of remission and relapse in children with graves' disease after treatment with antithyroid drugs." *Endocrine Reviews* 38(3).

Zhu, H., et al. (2016). "The efficacy and safety of lithium carbonate in combination with radioactive iodine therapy of hyperthyroidism: A meta-analysis and systematic review." *International Journal of Clinical and Experimental Medicine* 9(7): 12721-12728.

Deneke, D. E. and D. Ravindranath (2012). "Diagnosis and management of psychiatric comorbidities in patients with hyperthyroidism: An updated review." *Minerva Psichiatrica* 53(1): 39-46.

Derakhshan, S. and S. Shahsavari (2014). "Effect of oral anti-thyroid therapy on bone density in premenopausal women with endogenous subclinical hyperthyroidism." *Scientific Journal of Kurdistan University of Medical Sciences* 19(3): 1-11.

Ferrer, E. and M. À. Moral (2007). "Graves' disease." *Drugs of the Future* 32(6): 555-561.

Giesecke, P., et al. (2017). "Increased Cardiovascular Mortality and Morbidity in Patients Treated for Toxic Nodular Goiter Compared to Graves' Disease and Nontoxic Goiter." *Thyroid* 27(7): 878-885.

Gullo, D., et al. (2017). "Seasonal variations in TSH serum levels in athyreotic patients under L-thyroxine replacement monotherapy." *Clinical Endocrinology* 87(2): 207-215.

Hammonda, E. N. B. and M. D. T. H. W. Vangua (2016). "Lithium-enhanced radioactive iodine ablation of hyperthyroid patients." *Journal of Endocrinology, Metabolism and Diabetes of South Africa* 21(3): 51-55.

Hope, N. and A. Kelly (2017). "Pre-operative Lugol's iodine treatment in the management of patients undergoing thyroidectomy for graves' disease: A review of the literature." *European Thyroid Journal* 6(1): 20-25.

Jha, C. K., et al. (2017). "Comment on article entitled "Randomized trial of a short course of preoperative potassium iodide in patients undergoing thyroidectomy for Graves' disease"." *American Journal of Surgery* 213(6): 1194.

Kyrilli, A., et al. (2015). Thiamazole pretreatment lowers the ¹³¹I activity needed to cure hyperthyroidism in patients with nodular goiter. 100: 2261-2267.

Mbodj, M., et al. (2009). "Contribution of radio-iodine ¹³¹I in the treatment of Grave's Basedow disease in the department of nuclear medicine of Ibn Sina Hospital in Rabat." *Medecine Nucleaire* 33(10): 592-598.

Miranda-Padua, M. L., et al. (2014). "A randomized double-blind comparison of fixed versus calculated radioiodine dose in the treatment of graves' hyperthyroidism." *Phillippine Journal of Internal Medicine* 52(3).

Moleti, M., et al. (2014). "Radioiodine ablation of postsurgical thyroid remnants after treatment with recombinant human TSH (rhTSH) in patients with moderate-to-severe graves' orbitopathy (GO): A prospective, randomized, single-blind clinical trial." *Journal of Clinical Endocrinology and Metabolism* 99(5): 1783-1789.

Petersen, J. and K. W. Lin (2017). "Radioactive iodine therapy vs. Antithyroid medications for Graves disease." *American Family Physician* 95(5): 292-293.

Stettner, D., et al. (2013). "Graves' disease and obstetric complications." *Ginekologia i*

Poloznictwo 29(3): 9-18.

Tepmongkol, S. (2002). "Enhancement of radioiodine uptake in hyperthyroidism with hydrochlorothiazide: A prospective randomised control study." *European Journal of Nuclear Medicine and Molecular Imaging* 29(10): 1307-1310.

Wai, D. (2011). "Updates on the medical treatment for thyroid disease." *Annals of the Academy of Medicine Singapore* 40(7): S14.

Wojtczak, B., et al. (2010). "State-of-the-art treatment of thyroid disorders with special emphasis on surgery including minimally invasive techniques." *Family Medicine and Primary Care Review* 12(4): 1059-1063.

Yilmaz, Y., et al. (2016). "The effect of preoperative Lugol's iodine on intraoperative bleeding in patients with hyperthyroidism." *Annals of Medicine and Surgery* 9: 53-57.

Abiodun, A. O., et al. (2016). "Struck twice: An unusual case of graves' disease with thyrotoxicosis and diabetes insipidus in a previously healthy man." *Journal of General Internal Medicine* 31(2): S738.

Abós, M. D., et al. (2000). "Treatment with ¹³¹I of toxic multinodular goiter. Assessment of a fixed dose protocol." *Revista Espanola de Medicina Nuclear* 19(3): 182-186.

Abuchaibe, C., et al. (2014). "A case of thyroid storm following radioactive iodine (RAI): Was it a consequence of RAI or withdrawal from Methimazol." *Endocrine Reviews* 35.

Ahmad, K., et al. (2017). "A deadly storm: Catastrophic thyroid storm with DIC and cardiomyopathy." *American Journal of Respiratory and Critical Care Medicine* 195.

Ahmadi, S. and L. D. K. St Clair (2012). "A case of autoimmune lymphocytic thyroiditis causing thyroid storm." *Endocrine Reviews* 33(3).

Ahmed, R. and M. Djekidel (2012). "Multimodality imaging in staging of thyroid cancer." *Thyroid* 22: A114-A115.

Akhtar, M. S., et al. (2002). "Radioactive iodine treatment in diffuse toxic goiter by

calculation of thyroid volume with ultrasonography." *Medical Forum Monthly* 13(7): 19-22.

Akturk, H. K., et al. (2016). "Thyrotoxicosis with non-suppressed TSH: Diagnostic and therapeutic trial of short acting octreotide in a patient with non-localizable TSH-secreting tumor." *Endocrine Reviews* 37(2).

Albu, S. E., et al. (2016). "Thyroid autoimmune disease: Between hypothyroidism and hyperthyroidism." *Archives of the Balkan Medical Union* 51(4): 483-487.

Al-Omari, A., et al. (2010). "Outcome of radioactive iodine treatment for hyperthyroidism. Single centre experience." *Rawal Medical Journal* 35(1): 61-64.

Aminorroaya, A., et al. (2017). "Incidence of thyroid dysfunction in an Iranian adult population: The predictor role of thyroid autoantibodies: Results from a prospective population-based cohort study." *European Journal of Medical Research* 22(1).

Atmaca, A., et al. (2004). "Symptomatic treatment of Graves hyperthyroidism with lithium in states of thionamide adverse reactions: A retrospective analysis." *Endocrinologist* 14(6): 317-320.

Azim, S. and C. Nasr (2016). "Hyperthyroidism due to functional metastatic papillary thyroid cancer in a patient with graves' disease; a diagnostic and management dilemma." *Thyroid* 26: A96.

Azorín Belda, M. J., et al. (2017). "Recombinant human thyrotropin stimulation prior to ¹³¹I therapy in toxic multinodular goitre with low radioactive iodine uptake." *Revista Espanola de Medicina Nuclear e Imagen Molecular* 36(1): 7-12.

Babiker, A., et al. (2014). "Genetic susceptibility in autoimmune polyglandular syndrome type 3 variant." *Hormone Research in Paediatrics* 82: 271.

Bajuk, V., et al. (2017). "Effects of Adequate Iodine Supply on the Incidence of Iodine-Induced Thyroid Disorders in Slovenia." *Thyroid* 27(4): 558-566.

Balaguruswamy, S. and S. Jones (2009). "Audit on the management of thyrotoxicosis in

the clinic at a District General Hospital." *Endocrine Abstracts* 19: P385.

Balakrishnan, V., et al. (2013). "Marine-lenhart syndrome with a malignant hyperfunctioning nodule-a rare presentation of a rare syndrome." *Thyroid* 23: A106.

Bastan-Hagh, M. H., et al. (2006). "Treatment of 1035 hyperthyroid patients with ¹³¹Iodine." *International Journal of Pharmacology* 2(1): 116-120.

Bazrafshan, H. R., et al. (2011). "Low-dose anti-thyroid medication in graves disease: Assessment of the efficacy based on a long-term follow-up (interim report)." *Endocrine Reviews* 32(3).

Benjamin, J. S., et al. (2011). "Thyrotoxicosis in the premature infant." *Journal of Investigative Medicine* 59(2): 451.

Bham, F. (2017). "Molar pregnancies with a focus on the thyroid." *Southern African Journal of Anaesthesia and Analgesia* 23(2): 7-11.

Bilir, P., et al. (2015). "Angioneurotic oedema with antithyroid drugs in thyroid storm: What is the best therapeutic option." *Hormone Research in Paediatrics* 84: 571-572.

Boelaert, K., et al. (2010). "Induction of hypothyroidism with radioactive iodine therapy is associated with improved survival in patients with hyperthyroidism." *Endocrine Abstracts* 21: OC5.4.

Borremans, C. G. and H. A. Perinetti (2003). "Pregnancy and thyroid diseases." *Prensa Medica Argentina* 90(3): 232-243.

Bothra, N., et al. (2017). "Hashimoto's thyroiditis: relative recurrence risk ratio and implications for screening of first-degree relatives." *Clinical Endocrinology* 87(2): 201-206.

Brown, C. H. (2016). Antithyroid medications for graves' disease. 41: HS14-HS18.

Buddhadev, P. and M. S. Shah (2013). "Coma: Hyperthyroid or hypothyroid." *Journal of General Internal Medicine* 28: S310.

Bui, P. V., et al. (2016). "Sanguineous pericardial effusion and cardiac tamponade in the setting of graves' disease: Report of a case and review of previously reported cases." *Case Reports in Medicine* 2016.

Bulmus, N., et al. (2013). "Thyroid diseases in pregnancy: The importance of anamnesis." *Pakistan Journal of Medical Sciences* 29(5): 1187-1192.

Cai, X. and S. Bhushan (2015). "Amiodarone induced toxicity." *Journal of General Internal Medicine* 30: S356.

Calissendorff, J. and H. Falhammar (2017). "Rescue pre-operative treatment with Lugol's solution in uncontrolled Graves' disease." *Endocrine Connections* 6(4): 200-205.

Carluccio, A. L., et al. (2012). "Apatjetoc thyrotoxicosis secondary to atypical subacute thyroiditis." *Endocrine Practice* 18(5): e127-e129.

Catania, A., et al. (2013). "Total thyroidectomy for Graves' disease treatment." *Clinica Terapeutica* 164(3): 193-196.

Cebulska-Wasilewska, A., et al. (2017). "Retrospective biological dosimetry at low and high doses of radiation and radioiodine impact on individual susceptibility to ionizing radiation." *Genome Integrity* 8(1).

Chandrasekera, H., et al. (2013). "A resistant case of thyrotoxicosis in a patient with graves' disease." *Endocrine Reviews* 34(3).

Chang, R. Y. K., et al. (2014). "Evaluating the efficacy of primary treatment for graves' disease complicated by thyrotoxic periodic paralysis." *International Journal of Endocrinology* 2014.

Chow, T. L., et al. (2003). "Surgical treatment of thyrotoxicosis: A local institution's perspective." *Annals of the College of Surgeons of Hong Kong* 7(1): 29-33.

Clark, C. and C. Knight (2016). "Relapsing thyrotoxicosis after total thyroidectomy in a patient with graves' disease." *Journal of General Internal Medicine* 31(2): S717-S718.

- Clarke, S. E. M. and S. C. Rankin (2002). "The thyroid gland." *Imaging* 14(2): 103-114.
-
- Cohn, A., et al. (2017). "Radioactive iodine treatment for hyperthyroidism in a patient with end stage renal disease." *Endocrine Reviews* 38(3).
- Coleman-Pierron, R., et al. (2015). "Stopping the storm, when thyroid storm requires plasmapheresis." *Journal of Investigative Medicine* 63(2): 358.
- Concepcion, J., et al. (2015). "Rapid recovery of ANC after using GCSF to treat dose-related methimazole-induced agranulocytosis in a pediatric graves' disease patient." *Endocrine Reviews* 36.
- Cramon, P., et al. (2016). "Quality-of-Life Impairments Persist Six Months after Treatment of Graves' Hyperthyroidism and Toxic Nodular Goiter: A Prospective Cohort Study." *Thyroid* 26(8): 1010-1018.
- Cury, A. N., et al. (2013). "Clinical experience with radioactive iodine in the treatment of childhood and adolescent Graves' disease." *Endocrine Connections* 2(1): 32-37.
- Damle, N., et al. (2010). "Is low radioactive iodine uptake really an adverse factor in the outcome of radioiodine therapy of Graves disease?" *Journal of Nuclear Medicine* 51.
- Dardi, I. K., et al. (2015). "A case of hypothyroidism in a cat owner with methimazole use for the treatment of feline hyperthyroidism." *Thyroid* 25: A66.
- Darwish, S. M., et al. (2009). "Success rate of radioiodine treatment of hyperthyroidism in Qatari patients." *Qatar Medical Journal* 18(1): 42-46.
- Das, B. K., et al. (2006). "Rational management of differentiated thyroid cancer." *Malaysian Journal of Medical Sciences* 13(2): 45-51.
- Dasari, R., et al. (2011). "Amiodarone induced thyrotoxicosis: A challenging clinical situation." *Thyroid* 21: A52.
- Davidenko, I., et al. (2012). "Unmarked case of amiodarone-induced thyrotoxicosis."

European Thyroid Journal 1: 133.

Dede, F., et al. (2011). "Comparison of fixed 10 mCi and 15 mCi iodine-131 doses for the treatment of graves' disease: 11 year study." *Marmara Medical Journal* 24(1): 26-30.

Dejax, C., et al. (2005). "Iodine-131 treatment of hyperthyroidism in the elderly. Results in 180 patients. Radioprotection and waste management in 131-iodine therapy." *Medecine Nucleaire* 29(9): 609-619.

Del Rivero, J. and F. S. Celi (2013). "An uncommon serious adverse event associated with saturated solution of potassium iodide (SSKI) treatment." *Endocrine Reviews* 34(3).

Demirel, K., et al. (2011). "Outcome of radioiodine therapy in patients with hyperthyroidism: Calculated doses vs. Fixed doses." *European Journal of Nuclear Medicine and Molecular Imaging* 38: S431-S432.

Dhillon, A. K., et al. (2016). "Post CABG thyroid storm: A near miss." *Endocrine Reviews* 37(2).

Dhingra, V. K. and N. Bhatia (2015). "Use of telemedicine for facilitation of follow-up of patients of hyperthyroidism after definitive therapy with radioiodine in a primarily hilly state." *Indian Journal of Nuclear Medicine* 30(5): S27.

Dimakopoulou, A., et al. (2015). "Stress cardiomyopathy (Takotsubo) following radioactive iodine therapy." *Endocrinology, Diabetes and Metabolism Case Reports* 2015.

Dodig, D., et al. (2003). "Treatment of Graves' disease with radioiodine (I131)." *Paediatrica Croatica, Supplement* 47(1): 113-116.

Donepudi, I., et al. (2012). "Acute cholestatic liver disease secondary to propylthiouracil and hyperthyroid cardiomyopathy in patient with grave's disease." *American Journal of Gastroenterology* 107: S446-S447.

Ecker, J. L. and T. J. Musci (2000). "Thyroid function and disease in pregnancy." *Current Problems in Obstetrics, Gynecology and Fertility* 23(3): 109-122.

Left untreated during pregnancy, thyroid disease is associated with maternal and neonatal morbidity. However, treated patients can expect pregnancy outcomes no different than those of euthyroid patients. In order to manage therapy for pregnant patients with thyroid disorders, it is important to first understand the changes in thyroid anatomy, physiology, and testing expected in uncomplicated pregnancies. With this information in hand, practitioners can adjust pharmacologic therapy to minimize fetal complications and avoid undertreating or overtreating mothers.

Edinboro, C. H. (2011). "A "one medicine" example: Humans as the model for a feline disease." *Thyroid* 21: A37.

El Bez, I., et al. (2014). "Iodine-131 treatment of hyperthyroidism in people older than 65 years." *European Journal of Nuclear Medicine and Molecular Imaging* 41: S547.

El Issami, S., et al. (2011). "Treatment of hyperthyroidism with iodine-131: A propos of 280 cases." *Medicine Nucleaire* 35(10): 528-532.

Eliades, M., et al. (2014). "Thyroid storm induced by electrical shock delivered by a Taser gun." *Endocrine Reviews* 35.

Eniojukan, J. F. and A. O. Adepoju (2014). "Evaluating the effects of anti-thyroid drugs and thyroidectomy in patients receiving radioactive iodine therapy for graves' hyperthyroidism-a retrospective study from a University Teaching Hospital in South West, Nigeria." *Value in Health* 17(7): A741.

Eugenio, F., et al. (2016). "Retrospective analysis of thyroid function tests in patients with grave's disease treated with protocol-based dosing of methimazole in a safety-net endocrinology clinic." *Endocrine Reviews* 37(2).

Fatourechi, V. (2000). "Medical treatment of graves' ophthalmopathy." *Ophthalmology Clinics of North America* 13(4): 683-691.

Führer, D. (2016). "Thyroid disorders: Diagnosis and therapeutic approaches 2015." *LaboratoriumsMedizin* 40(1): 1-10.

Gaberscek, S., et al. (2014). "Characteristics of iodine-induced thyroid disorders after an

increase in mandatory salt iodization." *European Journal of Nuclear Medicine and Molecular Imaging* 41: S566.

Gambardella, V., et al. (2003). "Thyroid diseases in pregnancy." *Giornale Italiano di Ostetricia e Ginecologia* 25(9): 361-367.

Ganjoo, N. and V. Puthi (2016). "Primary cutaneous amyloidosis in an adolescent with graves' disease: Previously unknown association." *Archives of Disease in Childhood* 101: A278-A279.

Garg, N., et al. (2013). "Calming the storm - Role of plasmapheresis in thyrotoxic crises." *Endocrine Reviews* 34(3).

Gavilán Villarejo, I., et al. (2012). "Hyperthyroidism." *Medicine (Spain)* 11(14): 813-818.

Gessl, A., et al. (2012). *Thyroid disorders*. 214: 361-386.

Gianotti, R. (2012). "Riding the storm: A rare cause of acute liver failure." *Journal of Hospital Medicine* 7: S188-S189.

Gonzalez-Bossolo, A., et al. (2016). "Cerebrovascular Accident due to Thyroid Storm: Should We Anticoagulate?" *Case Reports in Endocrinology* 2016.

Greeve, J. (2003). "Thyroid disorders during pregnancy." *Gynakologe* 36(11): 965-973.

Gu, Y., et al. (2016). "Pulmonary hypertension aggravated by hyperthyroidism: A case report." *Endocrine Reviews* 37(2).

Guerra, Y. S., et al. (2012). "Bedside ultrasound use in graves disease." *Endocrine Reviews* 33(3).

Gulati, K., et al. (2010). "What is the influence of rheumatologic conditions on response to medical therapy of Graves' disease?" *Irish Journal of Medical Science* 179(13): S513.

Hakami, O., et al. (2016). "A case of nonfatal ventricular arrhythmia due to thyrotoxic

periodic paralysis in a Saudi patient as an initial presentation of Graves' disease." *Clinical Medicine Insights: Case Reports* 9: 5-9.

Harari, A., et al. (2011). "Quality of life assessment in pediatric Graves' disease patients after treatment with surgery versus radioactive iodine (a pilot study)." *Thyroid* 21: A51.

Harrasser, M., et al. (2013). "Neonatal thyrotoxicosis-potentially life-threatening!" *Swiss Medical Weekly* 143: 36S.

Heringer, L. and H. Crevensten (2010). "Recurrent paralysis due to hyperthyroidism causing hypokalemia." *Journal of General Internal Medicine* 25: S544-S545.

Holt, S. C. and N. Morone (2017). "Hey doc, I am losing weight: A 30 pound weight loss in an African American male." *Journal of General Internal Medicine* 32(2): S509.

Iglesias, P. (2007). "Effects of amiodarone therapy on thyroid function and its current management." *Endocrinologia y Nutricion* 54(7): 354-370.

Ivanova, I. V., et al. (2016). "The use of lithium in the treatment of resistant Graves' Thyrotoxicosis." *Endokrinologiya* 21(3): 167-175.

Iwasaki, H. (2015). "Onset of graves' disease during long-term immunosuppressive therapy in a patient with membranous nephropathy." *Endocrinology, Diabetes and Metabolism Case Reports* 2015.

Izkhakov, E., et al. (2016). "Drug versus radioactive treatment of graves' disease-metabolic outcomes." *Endocrine Reviews* 37(2).

Jain, M., et al. (2013). "Methimazole-induced concomitant agranulocytosis and hepatotoxicity." *Endocrine Reviews* 34(3).

Jevalikar, G., et al. (2013). "Long-term outcomes of paediatric Graves disease." *Hormone Research in Paediatrics* 80: 358.

Jiang, N., et al. (2015). "Follow-up and evaluation of the pregnancy outcome in women at reproductive age with graves'hyperthyroidism after 131-iodine treatment." *Thyroid* 25: A79.

Johnston, N., et al. (2014). "Neonatal thyrotoxicosis in maternal grave's disease: A case series and review of the literature." *Hormone Research in Paediatrics* 82: 460-461.

Johnston, N. F., et al. (2014). "Neonatal thyrotoxicosis: A case series." *Irish Journal of Medical Science* 183(4): S141.

Johnstone, H. C., et al. (2004). "The evaluation and management of thyrotoxicosis." *Current Paediatrics* 14(5): 430-437.

Journy, N. M. Y., et al. (2017). "Hyperthyroidism, Hypothyroidism, and Cause-Specific Mortality in a Large Cohort of Women." *Thyroid* 27(8): 1001-1010.

Jowkar, F. and F. Sari Aslani (2007). "Elephantiasic pretibial myxedema." *Journal of Pakistan Association of Dermatologists* 17(3): 187-189.

Kalk, W. J. and M. D. T. H. Vangu (2002). "Non-toxic multinodular goitres." *Journal of Endocrinology, Metabolism and Diabetes of South Africa* 7(1): 10-13.

Kamoun, T., et al. (2013). "Factors influencing the success of Radio-iodine dose in the treatment of Graves disease: One year outcom." *European Journal of Nuclear Medicine and Molecular Imaging* 40: S232.

Kampmann, E., et al. (2014). "Thyroid stimulating but not blocking autoantibodies are highly prevalent in active/severe thyroid-associated orbitopathy-a prospective study." *Thyroid* 24: A10.

Kara, O., et al. (2013). "A case with Graves disease who developed agranulocytosis and vasculitis during metimazole treatment." *Hormone Research in Paediatrics* 80: 441.

Kaufman, L. and L. Zimmerman (2003). "Thyrotoxicosis and thyroid storm - A review of evaluation and management." *Primary Care Update for Ob/Gyns* 10(1): 29-32.

Khan, S. H., et al. (2017). "Radioactive iodine-131 as a definitive treatment in rare association of down syndrome with hyperthyroidism: A case report and review of literature." *Indian Journal of Nuclear Medicine* 32(1): 19-24.

Kienitz, T., et al. (2007). "Long-term management in five cases of TSH-secreting pituitary adenomas: A single center study and review of the literature." *European Journal of Endocrinology, Supplement* 157(1): 39-46.

Kim, Y. A., et al. (2016). "Long-term clinical course after antithyroid drug treatment in patients with graves' disease." *Endocrine Reviews* 37(2).

Koh, Z. Y., et al. (2016). "Thyroid storm precipitated by cerebral venous thrombosis." *Endocrine Reviews* 37(2).

Korula, S., et al. (2015). "Graves' disease in children less than 8 years of age: Review of clinical features and treatment outcome." *International Journal of Pediatric Endocrinology* 2015.

Kudugunti, N., et al. (2013). "An intriguing case of hypothyroid woman becoming hyperthyroid." *European Thyroid Journal* 2: 133.

Kwok, C., et al. (2004). "Standard-dose prescription of radioiodine therapy for thyrotoxicosis: The Queen Mary Hospital experience." *Journal of the Hong Kong College of Radiologists* 7(4): 187-194.

Kyrilli, A., et al. (2013). "Thiamazol increases iodine uptake and allows a reduction of radioiodine dose needed to treat subclinical hyperthyroidism in patients with multinodular goiter." *European Thyroid Journal* 2: 145.

La Cour, J. L., et al. (2016). "Radioiodine Therapy Does Not Change the Atherosclerotic Burden of the Carotid Arteries." *Thyroid* 26(7): 965-971.

Ladenheim, S., et al. (2009). "Medical treatment evaluation in patients with Graves Basedow disease in relation to indicators of unsatisfied basic needs." *Revista Argentina*

de *Endocrinologia y Metabolismo* 46(2): 3-10.

Lai, J. and V. Wong (2017). "Urinary iodine as a predictor of lag-time to hypothyroidism in patients treated with iodine-131 for grave's disease." *Clinical Endocrinology* 86: 35-36.

Larijani, B., et al. (2002). "Treatment of hyperfunctioning thyroid nodules by percutaneous ethanol injection." *BMC Endocrine Disorders* 2.

Leighton, K. and N. Priddee (2017). "The disappearing haemoglobinopathy trait." *British Journal of Haematology* 176: 102.

Leïla, E., et al. (2015). "Hyperthyroidism in children and adolescents: Causes, when and how to treat-a Tunisian experience." *Hormone Research in Paediatrics* 84: 564.

Leung, B. C. H. (2003). "Management of thyroid nodules." *Hong Kong Practitioner* 25(12): 611-615.

Lithgow, K. and C. Symonds (2017). "Severe Thyrotoxicosis Secondary to Povidone-Iodine from Peritoneal Dialysis." *Case Reports in Endocrinology* 2017.

Liu, M., et al. (2016). "The perfect storm: Fever, tachycardia, and altered mental status after PTCA." *Journal of General Internal Medicine* 31(2): S756.

Madhushanka, J. K. V., et al. (2013). "Malignant struma ovarii, a case of papillary thyroid carcinoma in ovary." *BJOG: An International Journal of Obstetrics and Gynaecology* 120: 233-234.

Mahapatra, A. and M. Sood (2015). "Hyperthyroidism on long-term lithium carbonate therapy: A case report." *Indian Journal of Psychiatry* 57(5): S142-S143.

Maraka, S., et al. (2012). "New onset graves disease after radioactive iodine treatment of toxic multinodular goiter." *Endocrine Reviews* 33(3).

Marcocci, C., et al. (2010). "Selenium and pentoxifylline in patients with mild Graves' orbitopathy: Results of a randomized placebo-controlled double-blind clinical trial."

Endocrine Abstracts 22: P866.

Marley, J. and R. Comi (2012). "A case of lithium treatment preceding onset of graves disease: Effects on presentation and radionuclide studies." *Endocrine Reviews* 33(3).

Marques, O., et al. (2014). "Treatment of pediatric graves' disease: Results of a multicenter survey in portugal." *Hormone Research in Paediatrics* 82: 309-310.

Marrec, C., et al. (2013). "Amiodarone-induced thyrotoxicosis: A rare complication in children." *Hormone Research in Paediatrics* 80: 363.

Matsumoto, M., et al. (2013). "Predictors of recurrence of graves' disease after medical treatment." *Thyroid* 23: A101.

We

McCombe, P., et al. (2014). "Pregnancy outcomes in the alemtuzumab MS clinical development program." *Multiple Sclerosis* 20(1): 436-437.

McCormack, A. I. and D. L. Learoyd (2006). "A guide to thyroid dysfunction." *Medicine Today* 7(5): 28-35.

Medina, N. and C. Shah (2014). "Iatrogenic thyroid storm in apathetic hyperthyroidism: An unpleasant experience." *American Journal of Respiratory and Critical Care Medicine* 189.

Meller, J., et al. (2002). "Radioiodine-treatment (RIT) of functional thyroidal autonomy." *Nuclear Medicine Review* 5(1): 1-10.

Memmott, R. M. and V. Chockalingam (2015). "Presentation, diagnosis, and emergent management of a patient with thyrotoxicosis, papillary thyroid carcinoma, and primary and secondary hyperparathyroidism." *Endocrine Reviews* 36.

Mihailović, J. (2006). "Current concepts of 131I therapy in oncology: Indications, methods and follow up." *Archive of Oncology* 14(1-2): 45-51.

Minamitani, K., et al. (2011). "A report of three girls with antithyroid drug-induced agranulocytosis; retrospective analysis of 18 cases aged 15 years or younger reported

between 1995 and 2009." *Clinical Pediatric Endocrinology* 20(2): 39-46.

Mitra, S. and S. Muthu (2012). "Reduction in relapse rate of radioiodine therapy in patients of toxic multinodular goiter: A quality improvement project." *Indian Journal of Nuclear Medicine* 27(1): 5-9.

Momotani, N. and S. Iwama-Carlson (2015). "Resemblance and diversity of the activity of graves' disease seen in monozygotic female twins over the course of 20 years." *Thyroid* 25: A63.

Mousa, U., et al. (2017). "Aggravated orbitopathy following remnant ablation in a patient with multiple cancers." *Turkish Journal of Endocrinology and Metabolism* 21(3): 81-84.

Musa, F., et al. (2013). "Unexplained tachycardia." *Journal of Investigative Medicine* 61(2): 399-400.

Naber, T. H., et al. (2010). "Reactive thyrotoxicosis: Under diagnosed complication of parathyroidectomy in the dialysis population." *American Journal of Kidney Diseases* 55(4): A82.

Nacpil, P. D. and C. M. Sison (2012). "Psychosis in hyperthyroidism." *Endocrine Reviews* 33(3).

Naji, P., et al. (2013). "Graves' disease causing pancytopenia and autoimmune hemolytic anemia at different time intervals: A case report and a review of the literature." *Case Reports in Medicine* 2013.

Nakatake, N., et al. (2011). "Prediction of post-treatment hypothyroidism using changes in thyroid volume after radioactive iodine therapy in adolescent patients with Graves' disease." *International Journal of Pediatric Endocrinology* 2011(1).

Nandiwada, D. R. and A. A. Chang (2012). "Plasmaphoresis in thyroid storm with multi-organ failure." *Journal of General Internal Medicine* 27: S467.

Negro, R., et al. (2016). "A 2015 Italian Survey of Clinical Practice Patterns in the

Management of Graves' Disease: Comparison with European and North American Surveys." *European Thyroid Journal* 5(2): 112-119.

Nimmy, N. J., et al. (2010). "Prevalence of thyroid disorders in coastal, non-coastal, midland and hilly areas of Kerala along with the toxicities due to treatment." *Indian Journal of Pharmaceutical Sciences* 72(2): 282.

Niwattisaiwong, S. (2013). "Subacute thyroiditis misdiagnosed as graves' disease resulting in severe hypothyroidism." *Endocrine Reviews* 34(3).

Nunes, J., et al. (2014). "Predictive factors of radioactive iodine therapy failure in graves' disease." *European Thyroid Journal* 3: 143.

Oh, S. Y., et al. (2017). "Chylothorax associated with substernal goiter in Graves' disease treated with radioactive iodine." *International Journal of Endocrinology and Metabolism* 15(2).

Ohye, H., et al. (2012). "Antithyroid drug treatment for graves' disease in children: A retrospective study at a single institution." *Thyroid* 22: A17-A18.

Ozkaya, H. M., et al. (2015). "An unusual cause of life threatening hypercalcemia due to the grave's disease and concomitant Addisonian crisis." *Endocrine Reviews* 36.

Palitzsch, K. D. (2017). "Thyroid disease in old age." *Internistische Praxis* 58(1): 51-64.

Pallavi, R., et al. (2013). "Thyrotoxicosis and acute liver failure." *Critical Care Medicine* 41(12): A325.

Par, J., et al. (2009). "The management of massive goitre in a DGH." *Endocrine Abstracts* 19: P360.

Peretianu, D., et al. (2010). "Drug induced hyperthyroidism (a rare reaction of sorafenib): Case report." *Endocrine Abstracts* 22: P851.

Podugu, A., et al. (2014). "A rare case of fatal thyroid storm (TS) resulting in DIC and multiorgan failure." *Chest* 146(4).

Polak, M. (2001). "Fetal hyperthyroidism: Mechanisms, investigations, treatment and consequences for the child." *Reproduction Humaine et Hormones* 14(10): 683-689.

Pollak, P. and N. Vijayaratnam (2014). "Large geographic differences in prevalence of hyperthyroidism observed in patients exposed to amiodarone." *Clinical Pharmacology and Therapeutics* 95: S96-S97.

Pollak, P. T. and N. Vijayaratnam (2013). "Unusually high rate of hyperthyroidism observed in patients exposed to amiodarone in calgary." *Canadian Journal of Cardiology* 29(10): S186.

Proenca, M., et al. (2013). "Prognostic value of subclinical hyperthyroidism in an internal medicine ward." *European Journal of Internal Medicine* 24: e102.

Puig, G. D., et al. (2015). "Should we revisit anticoagulation guidelines during thyroid storm?" *Journal of Investigative Medicine* 63(2): 332.

Rabon, S., et al. (2016). "Graves' disease in children: Long-term outcomes of medical therapy." *Clinical Endocrinology*.

Rakov, H., et al. (2014). "Molecular mechanisms of sexdependent thyroid hormone action on target tissues." *European Thyroid Journal* 3: 203.

Rakov, H., et al. (2014). "Molecular mechanisms of sex-dependent thyroid hormone action on target tissues." *Experimental and Clinical Endocrinology and Diabetes* 122(3).

Rehman, A. U., et al. (2017). "Amiodarone-induced hyperthyroidism in patients with heart failure with and without a left ventricular assist device." *Endocrine Reviews* 38(3).

Rehman, S. U., et al. (2006). "Goiter in older adults." *Aging Health* 2(5): 823-831.

Ren, S. C., et al. (2016). "Von Willebrand factor and coagulation factor VIII in Moyamoya disease associated with graves' disease: A case report." *Experimental and Therapeutic Medicine* 12(5): 3195-3200.

Ridella, M., et al. (2010). "Iodine induced thyrotoxicosis in a patient with coronary artery disease." *Journal of Investigative Medicine* 58(2): 390.

Rivera, L., et al. (2014). "Dangerous weight loss: A case report." *Endocrine Reviews* 35.

Rojas, C., et al. (2015). "Demographic and clinical characteristics of Graves' disease at a pediatric hospital during the period 2004-2014." *Hormone Research in Paediatrics* 84: 60.

Ross, I. L., et al. (2005). "Amiodarone-induced thyroid dysfunction." *Journal of Endocrinology, Metabolism and Diabetes of South Africa* 10(1): 6-9.

Rossodivita, A., et al. (2010). "Grave's disease in a girl with Gitelman's syndrome." *Hormone Research in Paediatrics* 74: 289-290.

Rutecki, G. W. (2005). "What happens down the road to patients treated with radioactive iodine?" *Consultant* 45(13): 1442.

Could RAI Rx ultimately be hurting your patients? Here: Reassuring new evidence.

Ryödi, E., et al. (2015). "Cancer incidence and mortality in patients treated either with RAI or thyroidectomy for hyperthyroidism." *Journal of Clinical Endocrinology and Metabolism* 100(10): 3710-3717.

Saeed Akhtar, M., et al. (2002). "Radioactive iodine treatment in diffuse toxic goiter by calculation of thyroid volume with ultrasonography." *Journal of the College of Physicians and Surgeons Pakistan* 12(8): 477-480.

Saeednia, S., et al. (2013). "Evaluation of anti-thyroid drugs, radioactive iodine and surgery in patients with hyperthyroidism." *Iranian Journal of Endocrinology and Metabolism* 14(6): 1-8.

Samanta, P., et al. (2014). "Thyroid storm in a patient presenting with pulmonary embolism and splenic infarct." *American Journal of Respiratory and Critical Care*

Medicine 189.

Sanchez, L. M. P., et al. (2013). "Clinical presentation and response to therapy of graves' disease in a multi-ethnic endocrine clinic." *Endocrine Reviews* 34(3).

Sanyal, D. and S. Chatterjee (2015). "Hyperthyroidism in children: Treatment outcomes and preferences in Eastern India." *Clinical Pediatric Endocrinology* 24(2): 63-66.

Sarma, D. and S. Gadve (2013). "Nodularity in graves' disease in the postiodization era: Iodine status, thiocyanate exposure and autoimmunity." *Endocrine Reviews* 34(3).

Saumoy, M., et al. (2012). "Hyperbilirubinemia as a presenting symptom of thyrotoxicosis in a patient with sickle cell disease." *American Journal of Gastroenterology* 107: S422.

Schindler, A. E. (2003). "Thyroid, Climacterium and Hormone Therapy." *Journal fur Menopause* 10(4): 27-31.

Schneider, M., et al. (2016). "Clinical experience with radioactive iodine in treatment of childhood and adolescent graves' disease." *Hormone Research in Paediatrics* 86: 43.

Sekulic, V., et al. (2013). "Influence of smoking associated with stress on the outcome of radioiodine therapy in patients with Graves' disease." *European Journal of Nuclear Medicine and Molecular Imaging* 40: S401.

Sekulić, V., et al. (2015). "Cigarette smoking has no impact on the effect of radioiodine therapy in patients with graves disease." *Acta Facultatis Medicae Naissensis* 32(1): 67-75.

Shah, V. H. (2003). "Reader's Forum - 30." *Indian Journal of Otolaryngology and Head and Neck Surgery* 55(2): 145-146.

Shaikh, I. and A. Varanasi (2015). "A case of acute thyroiditis following therapy with topical cadexomer iodine (iodosorb) ointment." *Thyroid* 25: A78-A79.

Shehata, N., et al. (2015). "Rare malignant struma ovarii - non-papillary thyroid carcinoma of the ovary." *BJOG: An International Journal of Obstetrics and Gynaecology* 122: 151-152.

Sheng, S. W., et al. (2012). "Clinical features and efficacy of 131I remnant ablation of differentiated thyroid carcinoma complicated with hyperthyroidism." *Journal of Shanghai Jiaotong University (Medical Science)* 32(1): 83-84+89.

Shinall, M. C., et al. (2012). "Total thyroidectomy for graves' disease: A contemporary series of 165 patients." *Thyroid* 22: A54.

Shobab, L., et al. (2016). "Methimazole-induced agranulocytosis in a newly diagnosed graves's disease." *Thyroid* 26: A150.

Singh, G., et al. (2017). "Hypokalemia complicating new onset T1DM with DKA and simultaneous thyrotoxic periodic paralysis." *Endocrine Reviews* 38(3).

Singh, M., et al. (2016). "Propylthiouracil induced fulminant hepatic failure." *Endocrine Reviews* 37(2).

Singh, P., et al. (2009). "An audit of thyroid surveillance in amiodarone treated subjects - Room for improvement." *Endocrine Abstracts* 19: P95.

Skanjeti, A., et al. (2014). "Is radioiodine uptake test essential to treat hyperthyroidism from solitary thyroid nodule?" *European Journal of Nuclear Medicine and Molecular Imaging* 41: S543.

Smith, D. M., et al. (2016). "Change in Practice over Four Decades in the Management of Graves' Disease in Scotland." *Journal of Thyroid Research* 2016.

Subramanian, M., et al. (2016). "The effect of prior antithyroid drug use on delaying remission in high uptake Graves' disease following radioiodine ablation." *Endocrine Connections* 5(1): 34-40.

Sundaragiri, P., et al. (2013). "How to see a big 'k' drop!" *Journal of General Internal Medicine* 28: S340-S341.

Sundaresh, V., et al. (2012). "Comparative effectiveness of treatment choices for graves' hyperthyroidism: Experience of a tertiary referral center." *Thyroid* 22: A87.

Sundaresh, V., et al. (2013). "Comparative effectiveness of treatment choices for graves' disease in the elderly population: Experience of a tertiary referral center." *Endocrine Reviews* 34(3).

Sundaresh, V., et al. (2017). "Comparative Effectiveness of Treatment Choices for Graves' Hyperthyroidism: A Historical Cohort Study." *Thyroid* 27(4): 497-505.

Taïeb, D., et al. (2009). "Radioactive iodine ablation of Graves'disease." *Medecine Nucleaire* 33(5): 314.

Takamura, T., et al. (2017). "Thyroid hormone represses the activation of NFκB pathway and ameliorates kidney injury." *Nephrology Dialysis Transplantation* 32: iii437.

Tamam, M., et al. (2014). "Radioiodine therapy for hyperthyroidism in a patient with end-stage renal disease on hemodialysis: Case report." *Medical Journal of Bakirkoy* 10(2): 75-77.

Tareq, S. H., et al. (2013). "Hallucinations as presenting complaint in thyroid storm: An uncommon presentation of graves' disease." *Endocrine Reviews* 34(3).

Tay, C., et al. (2015). "Surgical management of graves' disease over a 25-year period: A south-east asian perspective." *Thyroid* 25: A71-A72.

Thethi, T. K., et al. (2014). "Case of thyrotoxic periodic paralysis in a caucasian male and review of literature." *Case Reports in Medicine* 2014.

Thirion, M., et al. (2006). "Thyrotoxicosis." *Reanimation* 15(6): 497-505.

Thirumalai, A. and S. Trikudanathan (2015). "Radioiodine ablation for amiodarone-induced thyrotoxicosis allows re-introduction of the drug." *Thyroid* 25: A217.

Timothy, P. P. and V. Niran (2014). "Incidence of hyperthyroidism in patients exposed to

amiodarone shows large regional variation new abstract." *Journal of Population Therapeutics and Clinical Pharmacology* 21(2): e287-e288.

Tomisti, L., et al. (2010). "Amiodarone-induced thyrotoxicosis in patients with multinodular goiter: Type 1 or type 2 AIT?" *Endocrine Abstracts* 22: P765.

Toni, M., et al. (2016). "Hyperthyroidism." *Medicine (Spain)* 12(13): 731-741.

Trevisan, T. L., et al. (2016). "Hyperfunctioning thyroid nodule harboring thyroid carcinoma with progression to bone metastases secreting thyroid hormone: A case report." *Endocrine Reviews* 37(2).

Triay, J. and P. Singhal (2010). "Improving the accuracy of clinical diagnosis in hyperthyroid disorders using ultrasound assessment." *Endocrine Abstracts* 22: P792.

Truran, P. and S. Aspinall (2014). "Thyrotoxicosis and thyroiditis." *Surgery (United Kingdom)* 32(10): 537-542.

Turner, B. C. (2004). "Thyroid emergencies part 1: Thyroid storm." *CPD Journal Acute Medicine* 3(3): 93-95.

Ursu, H. I., et al. (2011). "Outcome of radioiodine therapy in autonomous functioning thyroid nodules-a study group." *European Thyroid Journal*: 155.

Vallabhajosula, S., et al. (2010). "Hyperthyroidism is associated with reversible pulmonary hypertension." *Journal of Investigative Medicine* 58(2): 425.

Viejo, E., et al. (2017). "Emergency surgery in amiodarone-induced thyrotoxicosis." *Langenbeck's Archives of Surgery* 402(2): 354.

Vincent, P. J., et al. (2001). "Subtotal thyroidectomy in the management of Grave's disease." *Medical Journal Armed Forces India* 57(3): 203-206.

Vitoux, F. (2007). "Thyroid gland irradiations and thyroid cancers. Critical bibliographic journal." *Medecine Nucleaire* 31(7): 350-355.

Wada, R., et al. (2013). "A case of fetal hypothyroidism in pregnancy complicated with Basedow disease." *Prenatal Diagnosis* 33: 66.

Wang, W. (2016). "Cardiac arrest in a young man from thyroid storm." *Journal of General Internal Medicine* 31(2): S575-S576.

Weetman, A. (2009). "Amiodarone-associated hyperthyroidism, a practical guide to investigation and therapy." *Endocrine Abstracts* 19: S58.

Won, K. S., et al. (2015). "Predictive factor for unsuccessful radioactive iodine therapy in patients with diffuse toxic goiter." *Journal of Nuclear Medicine* 56.

Xiao, B. Z., et al. (2013). "Incidence of hyperthyroidism in Chongqing City before and after universal salt iodization." *Chinese Journal of Endemiology* 32(6): 682-686.

Xu, S. H., et al. (2015). "A questionnaire survey on the management of Graves' orbitopathy in China: A comparison with Europe and Latin-America." *Chronic Diseases and Translational Medicine* 1(2): 117-123.

Yaneva, M. (2015). "Radioiodine therapy outcome in older patients with thyreotoxicosis caused by Graves' disease : Our experience." *European Journal of Nuclear Medicine and Molecular Imaging* 42(1): S727.

Yener, S., et al. (2009). "Advance age and mild thyrotoxicosis are associated with nodular goiter in Graves Disease." *Turkish Journal of Endocrinology and Metabolism* 13(1): 1-4.

Yoshida, K., et al. (2015). "A case of late-night paralysis of the extremities." *Journal of General Internal Medicine* 30: S330-S331.

Yousefian, S., et al. (2014). "Metastatic papillary thyroid carcinoma in a 15-year old patient with graves' disease." *Endocrine Reviews* 35.

Zangana, A. M. (2007). "Surgical treatment of hyperthyroidism in the North of Iraq: Reduction in mortality and morbidity with a planned approach. Results of 544 operations with special reference to pre-operative treatment with Carbimazole and thyroid hormones." *Middle East Journal of Emergency Medicine* 7(2): 71-75.

Zelada, H., et al. (2016). "In-hospital mortality secondary to methimazole-induced agranulocytosis." *Thyroid* 26: A158-A159.

Zhu, G. H., et al. (2010). "Comparison of short-term effects between interventional embolization treatment and iodine-131 therapy for Graves' hyperthyroidism." *Journal of Interventional Radiology* 19(3): 184-187.

Zhu, R. X., et al. (2006). "Evidence-based treatment for a patient with Graves' disease." *Chinese Journal of Evidence-Based Medicine* 6(5): 380-384.